L Number	Hits	Search Text	DB	Time stamp
6	4	6185551.URPN.	USPAT	2004/01/28
-	61282	email or e-mail or e adj mail or electronic adj mail	USPAT; US-PGPUB;	16:09 2004/01/28 09:30
-	99486	client	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/27 11:03
-	219195	server	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/27 11:03
-	77565	client and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/27 11:03
-	17461	(email or e-mail or e adj mail or electronic adj mail) and (client and server)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/27 11:04
-	4370	((email or e-mail or e adj mail or electronic adj mail) and (client and server)) and (user near5 (profile or preferen\$5))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/27 11:28
-	1419	(((email or e-mail or e adj mail or electronic adj mail) and (client and server)) and (user near5 (profile or preferen\$5))) and filter	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/27 12:20
-	528	((((email or e-mail or e adj mail or electronic adj mail) and (client and server)) and (user near5 (profile or preferen\$5))) and filter) and ((event or messa\$5) near5 mana\$7)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/27 12:19
-	461	(((((email or e-mail or e adj mail or electronic adj mail) and (client and server)) and (user near5 (profile or preferen\$5))) and filter) and ((event or messa\$5) near5 mana\$7)) and event	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/27 11:09
-	250	((((((email or e-mail or e adj mail or electronic adj mail) and (client and server)) and (user near5 (profile or preferen\$5))) and filter) and ((event or messa\$5) near5 mana\$7)) and event) and tok\$9	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/27 12:20
-	222	((((((((email or e-mail or e adj mail or electronic adj mail) and (client and server)) and (user near5 (profile or preferen\$5))) and filter) and ((event or messa\$5) near5 mana\$7)) and event) and tok\$9) and head\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:20

-	103	((((((((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) and (client and server)) and (user near5	US-PGPUB;	12:21
		(profile or preferen\$5))) and filter) and ((event or	EPO; JPO;	
		messa\$5) near5 mana\$7)) and event) and tok\$9)	DERWENT;	
		and head\$4) and body	IBM_TDB	
-	103	((((((((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) and (client and server)) and (user near5	US-PGPUB;	11:11
	:	(profile or preferen\$5))) and filter) and ((event or	EPO; JPO;	
		messa\$5) near5 mana\$7)) and event) and tok\$9)	DERWENT;	
		and head\$4) and body) and (sepa\$9)	IBM_TDB	
-	9	(((((((((email or e-mail or e adj mail or electronic	USPAT;	2004/01/27
		adj mail) and (client and server)) and (user near5	US-PGPUB;	11:12
		(profile or preferen\$5))) and filter) and ((event or	EPO; JPO;	
		messa\$5) near5 mana\$7)) and event) and tok\$9)	DERWENT;	
		and head\$4) and body) and (sepa\$9)) and (mail	IBM_TDB	
		adj box or mail near3 box or mail-box or in adj	_	
		box or inbox)		
-	1321	((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 manag\$7).ab.	US-PGPUB;	11:28
		, 3. ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	585	(((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 manag\$7).ab.) and server	US-PGPUB;	11:15
			EPO; JPO;	11.10
			DERWENT;	
			IBM_TDB	
_	23	((((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 manag\$7).ab.) and server) and (user	US-PGPUB;	11:15
		near5 (profile or preferen\$5))	EPO; JPO;	
		(F (F	DERWENT;	
			IBM_TDB	
-	6	(((((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 manag\$7).ab.) and server) and (user	US-PGPUB;	11:17
		near5 (profile or preferen\$5))) and filter	EPO; JPO;	
		1 111	DERWENT;	
			IBM_TDB	
-	17	(((((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 manag\$7).ab.) and server) and (user	US-PGPUB;	11:17
		near5 (profile or preferen\$5))) not ((((((email or	EPO; JPO;	
		e-mail or e adj mail or electronic adj mail) near5	DERWENT;	
		manag\$7).ab.) and server) and (user near5 (profile	IBM_TDB	
		or preferen\$5))) and filter)		
-	1356	((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 (manag\$7 or admin\$8)).ab.	US-PGPUB;	12:19
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	34	(((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 (manag\$7 or admin\$8)).ab.) and (user	US-PGPUB;	12:19
		near5 (profile or preferen\$5))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4742	((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 (manag\$7 or admin\$8))	US-PGPUB;	12:45
			EPO; JPO;	
			DERWENT;	
	l		IBM_TDB	

-	911	(((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 (manag\$7 or admin\$8))) and (user	US-PGPUB;	12:19
		near5 (profile or preferen\$5))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	476	((((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 (manag\$7 or admin\$8))) and (user	US-PGPUB;	12:19
		near5 (profile or preferen\$5))) and ((event or	· ·	12.19
			EPO; JPO;	
		messa\$5) near5 mana\$7)	DERWENT;	
		L	IBM_TDB	
-	231	(((((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 (manag\$7 or admin\$8))) and (user	US-PGPUB;	12:20
İ		near5 (profile or preferen\$5))) and ((event or	EPO; JPO;	
		messa\$5) near5 mana\$7)) and filter	DERWENT;	
Ì		, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	
-	126	((((((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 (manag\$7 or admin\$8))) and (user	US-PGPUB;	12:20
		near5 (profile or preferen\$5))) and ((event or		12.20
			EPO; JPO;	
		messa\$5) near5 mana\$7)) and filter) and tok\$9	DERWENT;	
		,,,,,,	IBM_TDB	
-	119	(((((((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 (manag\$7 or admin\$8))) and (user	US-PGPUB;	12:20
		near5 (profile or preferen\$5))) and ((event or	EPO; JPO;	
		messa\$5) near5 mana\$7)) and filter) and tok\$9)	DERWENT;	
		and head\$4	IBM_TDB	
_	18	(((((((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 (manag\$7 or admin\$8))) and (user	US-PGPUB;	12:21
		near5 (profile or preferen\$5))) and ((event or	EPO; JPO;	12.21
		messa\$5) near5 mana\$7)) and filter) and tok\$9)	DERWENT;	
		and head\$4) and body		
			IBM_TDB	0004404407
-	3	(((USPAT;	2004/01/27
		mail) near5 (manag\$7 or admin\$8))) and personal	US-PGPUB;	12:45
		near5 mess\$6 near5 agent	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	(((email or e-mail or e adj mail or electronic adj	USPAT;	2004/01/27
		mail) near5 (manag\$7 or admin\$8))) and pers\$7	US-PGPUB;	12:47
		near5 mess\$6 near5 agent	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	726908	network	USPAT;	2004/01/27
	. 20,000		US-PGPUB;	, ,
				12:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3449	network and (((email or e-mail or e adj mail or	USPAT;	2004/01/27
		electronic adj mail) near5 (manag\$7 or admin\$8)))	US-PGPUB;	12:48
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	61337	email or e-mail or (e adj mail) or electronic adj	USPAT;	2004/01/28
		mail	US-PGPUB;	09:30
			EPO; JPO;	55.00
]		DERWENT;	
	0075	1, 1, 1,	IBM_TDB	
-	2978	(email or e-mail or (e adj mail) or electronic adj	USPAT;	2004/01/28
		mail) and (SMTP or simple adj mail adj transfer	US-PGPUB;	09:31
		adj protocol)	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
			<u> </u>	

_	780	((email or e-mail or (e adj mail) or electronic adj	USPAT;	2004/01/28
	, 00	mail) and (SMTP or simple adj mail adj transfer	US-PGPUB;	09:32
		adj protocol)) and (POP3 or post adj office adj	EPO; JPO;	09.02
		protocol adj "3" or IMAP4 or internet adj message		
			DERWENT;	
	526	adj access adj protocol adj "4")	IBM_TDB	0004 /01 /00
-	536	(((email or e-mail or (e adj mail) or electronic adj	USPAT;	2004/01/28
		mail) and (SMTP or simple adj mail adj transfer	US-PGPUB;	09:33
		adj protocol)) and (POP3 or post adj office adj	EPO; JPO;	
		protocol adj "3" or IMAP4 or internet adj message	DERWENT;	
		adj access adj protocol adj "4")) and (RFC822	IBM_TDB	
		near5 MIME or Filter or Event)		
-	559	(((email or e-mail or (e adj mail) or electronic adj	USPAT;	2004/01/28
		mail) and (SMTP or simple adj mail adj transfer	US-PGPUB;	09:33
		adj protocol)) and (POP3 or post adj office adj	EPO; JPO;	
		protocol adj "3" or IMAP4 or internet adj message	DERWENT;	
		adj access adj protocol adj "4")) and (RFC822	IBM_TDB	
		near5 MIME or Filter or Event)	-	
-	193	((((email or e-mail or (e adj mail) or electronic adj	USPAT;	2004/01/28
		mail) and (SMTP or simple adj mail adj transfer	US-PGPUB;	09:34
	!	adj protocol)) and (POP3 or post adj office adj	EPO; JPO;	
		protocol adj "3" or IMAP4 or internet adj message	DERWENT;	
		adj access adj protocol adj "4")) and (RFC822	IBM_TDB	
		near5 MIME or Filter or Event)) and (attach\$7	IDM_IDD	
		near5 (media or audio or text\$7))		
	151	(((((email or e-mail or (e adj mail) or electronic adj	USPAT;	2004/01/20
_	151		·	2004/01/28
		mail) and (SMTP or simple adj mail adj transfer	US-PGPUB;	09:35
		adj protocol)) and (POP3 or post adj office adj	EPO; JPO;	
		protocol adj "3" or IMAP4 or internet adj message	DERWENT;	
		adj access adj protocol adj "4")) and (RFC822	IBM_TDB	
		near5 MIME or Filter or Event)) and (attach\$7		
		near5 (media or audio or text\$7))) and (toke\$7 or		
		lexic\$5 near5 Anal\$7 or pars\$6)		
-	127	((((((email or e-mail or (e adj mail) or electronic adj	USPAT;	2004/01/28
		mail) and (SMTP or simple adj mail adj transfer	US-PGPUB;	09:41
		adj protocol)) and (POP3 or post adj office adj	EPO; JPO;	
		protocol adj "3" or IMAP4 or internet adj message	DERWENT;	
		adj access adj protocol adj "4")) and (RFC822	IBM_TDB	
		near5 MIME or Filter or Event)) and (attach\$7		
		near5 (media or audio or text\$7))) and (toke\$7 or		
		lexic\$5 near5 Anal\$7 or pars\$6)) and ((user client		
		consumer customer) near3 (prof\$6 outline pattern		
		plan scheme structure style))		
_	127	(((((((email or e-mail or (e adj mail) or electronic adj	USPAT;	2004/01/28
		mail) and (SMTP or simple adj mail adj transfer	US-PGPUB;	09:46
		adj protocol)) and (POP3 or post adj office adj	EPO; JPO;	-
		protocol adj "3" or IMAP4 or internet adj message	DERWENT;	
		adj access adj protocol adj "4")) and (RFC822	IBM_TDB	
		near5 MIME or Filter or Event)) and (attach\$7	םם זייום ז	
		near5 (media or audio or text\$7))) and (toke\$7 or		
		lexic\$5 near5 Anal\$7 or pars\$6)) and ((user client		
		consumer customer) near3 (prof\$6 outline pattern		
		plan scheme structure style))) and (head\$6 or body)		

-	127	((((((((email or e-mail or (e adj mail) or electronic	USPAT;	2004/01/28
	•	adj mail) and (SMTP or simple adj mail adj	US-PGPUB;	09:46
		transfer adj protocol)) and (POP3 or post adj office	EPO; JPO;	
		adj protocol adj "3" or IMAP4 or internet adj	DERWENT;	
		message adj access adj protocol adj "4")) and	IBM_TDB	
		(RFC822 near5 MIME or Filter or Event)) and		
		(attach\$7 near5 (media or audio or text\$7))) and		
		(toke\$7 or lexic\$5 near5 Anal\$7 or pars\$6)) and		
	1	((user client consumer customer) near3 (prof\$6		
		outline pattern plan scheme structure style))) and		
		(head\$6 or body)) and proces\$7		
_	0	((((((((email or e-mail or (e adj mail) or electronic	USPAT;	2004/01/09
-				2004/01/28
		adj mail) and (SMTP or simple adj mail adj	US-PGPUB;	09:47
		transfer adj protocol)) and (POP3 or post adj office	EPO; JPO;	
		adj protocol adj "3" or IMAP4 or internet adj	DERWENT;	
		message adj access adj protocol adj "4")) and	IBM_TDB	
		(RFC822 near5 MIME or Filter or Event)) and		
		(attach\$7 near5 (media or audio or text\$7))) and		
1		(toke\$7 or lexic\$5 near5 Anal\$7 or pars\$6)) and		
		((user client consumer customer) near3 (prof\$6		
1		outline pattern plan scheme structure style))) and		
		(head\$6 or body)) and proces\$7) and ("in-band" or		
		inband or in near3 band)		
-	127	((((((((email or e-mail or (e adj mail) or electronic	USPAT;	2004/01/28
		adj mail) and (SMTP or simple adj mail adj	US-PGPUB;	09:47
		transfer adj protocol)) and (POP3 or post adj office	EPO; JPO;	
	•	adj protocol adj "3" or IMAP4 or internet adj	DERWENT;	
		message adj access adj protocol adj "4")) and	IBM_TDB	
		(RFC822 near5 MIME or Filter or Event)) and	_	
		(attach\$7 near5 (media or audio or text\$7))) and		
		(toke\$7 or lexic\$5 near5 Anal\$7 or pars\$6)) and		
		((user client consumer customer) near3 (prof\$6		
		outline pattern plan scheme structure style))) and		
		(head\$6 or body)) and proces\$7) and manag\$5		
_	127	((((((((((((((((((((((((((((((((((((((USPAT;	2004/01/28
-	12,1	adj mail) and (SMTP or simple adj mail adj	US-PGPUB;	09:47
		transfer adj protocol)) and (POP3 or post adj office	EPO; JPO;	09.47
		adj protocol adj "3" or IMAP4 or internet adj	•	
		"-	DERWENT;	
		message adj access adj protocol adj "4")) and	IBM_TDB	
		(RFC822 near5 MIME or Filter or Event)) and		
		(attach\$7 near5 (media or audio or text\$7))) and		
		(toke\$7 or lexic\$5 near5 Anal\$7 or pars\$6)) and		
		((user client consumer customer) near3 (prof\$6		
		outline pattern plan scheme structure style))) and		
		(head\$6 or body)) and proces\$7) and manag\$5)		
		and (stor\$5)		000440455
-	115	((((((((((email or e-mail or (e adj mail) or electronic	USPAT;	2004/01/28
		adj mail) and (SMTP or simple adj mail adj	US-PGPUB;	09:48
		transfer adj protocol)) and (POP3 or post adj office	EPO; JPO;	
		adj protocol adj "3" or IMAP4 or internet adj	DERWENT;	
		message adj access adj protocol adj "4")) and	IBM_TDB	
1	[(RFC822 near5 MIME or Filter or Event)) and		
		(attach\$7 near5 (media or audio or text\$7))) and		
	1	(toke\$7 or lexic\$5 near5 Anal\$7 or pars\$6)) and		
		((user client consumer customer) near3 (prof\$6		
	1	outline pattern plan scheme structure style))) and		
		(head\$6 or body)) and proces\$7) and manag\$5)		
		and (stor\$5)) and (forwar\$7)		L
	da	<u> </u>	<u></u>	L

			Γ	
-	115	((((((((((((((((((((((((((((((((((((((USPAT;	2004/01/28
		adj mail) and (SMTP or simple adj mail adj	US-PGPUB;	09:48
		transfer adj protocol)) and (POP3 or post adj office	EPO; JPO;	
		adj protocol adj "3" or IMAP4 or internet adj	DERWENT;	
		message adj access adj protocol adj "4")) and	IBM_TDB	
		(RFC822 near5 MIME or Filter or Event)) and		
		(attach\$7 near5 (media or audio or text\$7))) and		
		(toke\$7 or lexic\$5 near5 Anal\$7 or pars\$6)) and		
		((user client consumer customer) near3 (prof\$6		•
		outline pattern plan scheme structure style))) and		
!		(head\$6 or body)) and proces\$7) and manag\$5)		
l		and (stor\$5)) and (forwar\$7)) and (send\$7)		
	115	((((((((((((((((((((((((((((((((((((((USPAT;	2004/01/28
		adj mail) and (SMTP or simple adj mail adj	US-PGPUB;	09:49
l		transfer adj protocol)) and (POP3 or post adj office	EPO; JPO;	05.15
		adj protocol adj "3" or IMAP4 or internet adj	DERWENT;	
		message adj access adj protocol adj "4")) and	IBM_TDB	
		(RFC822 near5 MIME or Filter or Event)) and	IDW_IDB	
		(attach\$7 near5 (media or audio or text\$7))) and		
		(toke\$7 or lexic\$5 near5 Anal\$7 or pars\$6)) and		
Į.		((user client consumer customer) near3 (prof\$6		
		outline pattern plan scheme structure style))) and		
		(head\$6 or body)) and proces\$7) and manag\$5)		
		and (stor\$5)) and (forwar\$7)) and (send\$7)) and		
ļ		(recei\$7)		
-	110	((((((((((((((((((((((((((((((((((((((USPAT;	2004/01/28
İ		electronic adj mail) and (SMTP or simple adj mail	US-PGPUB;	09:49
!		adj transfer adj protocol)) and (POP3 or post adj	EPO; JPO;	
		office adj protocol adj "3" or IMAP4 or internet adj	DERWENT;	
		message adj access adj protocol adj "4")) and	IBM_TDB	
!		(RFC822 near5 MIME or Filter or Event)) and		
		(attach\$7 near5 (media or audio or text\$7))) and		
:		(toke\$7 or lexic\$5 near5 Anal\$7 or pars\$6)) and		
		((user client consumer customer) near3 (prof\$6		
	<u> </u>	outline pattern plan scheme structure style))) and		
·		(head\$6 or body)) and proces\$7) and manag\$5)		
		and (stor\$5)) and (forwar\$7)) and (send\$7)) and		
		(recei\$7)) and (redu\$7)		
-	109	((((((((((((((((((((((((((((((((((((((USPAT;	2004/01/28
i		electronic adj mail) and (SMTP or simple adj mail	US-PGPUB;	09:50
		adj transfer adj protocol)) and (POP3 or post adj	EPO; JPO;	
		office adj protocol adj "3" or IMAP4 or internet adj	DERWENT;	
		message adj access adj protocol adj "4")) and	IBM_TDB	
		(RFC822 near5 MIME or Filter or Event)) and		
		(attach\$7 near5 (media or audio or text\$7))) and		
		(toke\$7 or lexic\$5 near5 Anal\$7 or pars\$6)) and		
		((user client consumer customer) near3 (prof\$6		
		outline pattern plan scheme structure style))) and		
		(head\$6 or body)) and proces\$7) and manag\$5)		
		and (stor\$5)) and (forwar\$7)) and (send\$7)) and		

	1	((((((((((((((((((((((((((((((((((((((USPAT;	2004/01/28
	_	electronic adj mail) and (SMTP or simple adj mail	US-PGPUB;	09:52
		adj transfer adj protocol)) and (POP3 or post adj	EPO; JPO;	03.02
		office adj protocol adj "3" or IMAP4 or internet adj	DERWENT;	
		message adj access adj protocol adj "4")) and	IBM_TDB	
		(RFC822 near5 MIME or Filter or Event)) and	IDIWI_IDD	
		(attach\$7 near5 (media or audio or text\$7))) and		
		'		
		(toke\$7 or lexic\$5 near5 Anal\$7 or pars\$6)) and		
		((user client consumer customer) near3 (prof\$6		
		outline pattern plan scheme structure style))) and		
		(head\$6 or body)) and proces\$7) and manag\$5)		
		and (stor\$5)) and (forwar\$7)) and (send\$7)) and		
		(recei\$7)) and (redu\$7)) and (modif\$7)) and (mail		
		adj box or mail near3 box or mail-box)		
	108		USPAT;	2004/01/28
		electronic adj mail) and (SMTP or simple adj mail	US-PGPUB;	09:52
		adj transfer adj protocol)) and (POP3 or post adj	EPO; JPO;	
		office adj protocol adj "3" or IMAP4 or internet adj	DERWENT;	
		message adj access adj protocol adj "4")) and	IBM_TDB	
		(RFC822 near5 MIME or Filter or Event)) and		
		(attach\$7 near5 (media or audio or text\$7))) and		
		(toke\$7 or lexic\$5 near5 Anal\$7 or pars\$6)) and		
		((user client consumer customer) near3 (prof\$6		
		outline pattern plan scheme structure style))) and		
		(head\$6 or body)) and proces\$7) and manag\$5)		
		and (stor\$5)) and (forwar\$7)) and (send\$7)) and		
		(recei\$7)) and (redu\$7)) and (modif\$7)) not		
		((((((((((((((((((((((((((((((((((((((
		electronic adj mail) and (SMTP or simple adj mail		
		adj transfer adj protocol)) and (POP3 or post adj		
		office adj protocol adj "3" or IMAP4 or internet adj		
		message adj access adj protocol adj "4")) and		
		(RFC822 near5 MIME or Filter or Event)) and		
		(attach\$7 near5 (media or audio or text\$7))) and		
		(toke\$7 or lexic\$5 near5 Anal\$7 or pars\$6)) and		
		((user client consumer customer) near3 (prof\$6		
		outline pattern plan scheme structure style))) and		
		(head\$6 or body)) and proces\$7) and manag\$5)		
		and (stor\$5)) and (forwar\$7)) and (send\$7)) and		
		(recei\$7)) and (redu\$7)) and (modif\$7)) and (mail		
		adj box or mail near3 box or mail-box))		